

SAFETY DATA SHEET

Issuing Date 20-Mar-2014

Revision Date 20-Mar-2014

Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name CherryAir Odor neutralizing gel

Other means of identification

Product Code(s) CA1800M, 61018, 1800D, 61010, 1801, 61011, 1803, 61013, 1810, 61015, 1830, 61017

Synonyms odor eliminator

Recommended use of the chemical and restrictions on use

Recommended Use Neutralizing odors

Uses advised against No information available

Supplier's details

Supplier Address

ClenAir Mfg. Inc.
Box 346
Fort Washington, PA
19034
TEL: 888 764 2110

Emergency telephone number

Company Emergency Phone Number 800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

GHS Label elements, including precautionary statements

Emergency Overview

The product contains no substances which at their given concentration are considered to be hazardous to health
Appearance White **Physical State** Solid, Gel. **Odor** Cherry

Precautionary Statements

Prevention

- None

General Advice

- None

Storage

- None

Disposal

- None

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

odor eliminator

| Chemical Name | CAS-No | Weight % | Trade secret |
|---------------|---------|----------|--------------|
| Ethanol | 64-17-5 | 1-5 | * |

**The exact percentage (concentration) of composition has been withheld as a trade secret.*

4. FIRST AID MEASURES

Description of necessary first-aid measures

| | |
|---------------------|--|
| Eye Contact | Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation persists. |
| Skin Contact | Rinse with plenty of water Get medical attention if irritation persists. |
| Inhalation | Move to fresh air. |
| Ingestion | Clean mouth with water and afterwards drink plenty of water. |

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects None known

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

No information available.

Explosion Data

| | |
|---|-------|
| Sensitivity to Mechanical Impact | None. |
| Sensitivity to Static Discharge | None. |

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Wash thoroughly after handling.

Environmental Precautions

Environmental Precautions Avoid release to the environment. See Section 12 for additional Ecological Information
Dispose of contents/container to an approved waste disposal plant.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters**Exposure Guidelines**

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------|----------------|--|--|
| Ethanol 64-17-5 | STEL: 1000 ppm | TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³ | IDLH: 3300 ppm 10% LEL TWA: 1000 ppm TWA: 1900 mg/m ³ |

Appropriate engineering controls

Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.
Skin and Body Protection Protective gloves.
Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|-----------------------|------------|-----------------------|--------------------------|
| Physical State | Solid, Gel | Appearance | White |
| Odor | Cherry | Odor Threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks/ - Method</u> |
|--|----------------------|---------------------------------|
| pH | 7.0 - 7.5 | None known |
| Melting Point/Range | 51.66 °C / 125 °F | None known |
| Boiling Point/Boiling Range | No data available | None known |
| Flash Point | 176 °C / 348.8 °F | None known |
| Evaporation rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limits in Air | | |
| upper flammability limit | No data available | |
| lower flammability limit | No data available | |
| Vapor Pressure | No data available | None known |
| Vapor Density | No data available | None known |
| Specific Gravity | 0.85-0.95 | None known |
| Water Solubility | Miscible with water | None known |
| Solubility in other solvents | No data available | None known |
| Partition coefficient: n-octanol/water | No data available | None known |
| Autoignition Temperature | No data available | None known |
| Decomposition Temperature | No data available | None known |
| Viscosity | No data available | None known |

Flammable Properties Not flammable

Explosive Properties No data available
Oxidizing Properties No data available

Other information

VOC Content (%) No data available

10. STABILITY AND REACTIVITY**Reactivity**

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|----------------------------|---|
| Product Information | Product does not present an acute toxicity hazard based on known or supplied information. |
| Inhalation | None under normal use conditions |
| Eye Contact | May cause irritation. |
| Skin Contact | May cause irritation. |
| Ingestion | Ingestion may cause irritation to mucous membranes. |

Component Information

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---------------|----------------------|-------------|--------------------------|
| Ethanol | = 7060 mg/kg (Rat) | - | = 124.7 mg/L (Rat) 4 h |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms None under normal use.

Delayed and immediate effects and also chronic effects from short and long term exposure

| | |
|--------------------------|---|
| Sensitization | No information available. |
| Mutagenic Effects | No information available. |
| Carcinogenicity | The table below indicates whether each agency has listed any ingredient as a carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed and abused as an alcoholic beverage. |

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|---------|-------|------|
| Ethanol | A3 | Group 1 | Known | X |

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

| | |
|---------------------------------|---|
| Reproductive Toxicity | No information available. |
| Developmental Toxicity | Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration Hazard | No information available. |

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

| | |
|-----------------------------|---------------------------------------|
| LD50 Oral | 129044 mg/kg; Acute toxicity estimate |
| LD50 Dermal | 260178 mg/kg; Acute toxicity estimate |
| Inhalation dust/mist | 3471.6 mg/L; Acute toxicity estimate |

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|---------------|-------------------|------------------|----------------------------|----------------------------|
| | | | | |

| | | | | |
|-----------------------------|---|--|---|--|
| Propylene glycol 57-55-6 | EC50 96 h: = 19000 mg/L (Pseudokirchneriella subcapitata) | LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) | EC50 = 710 mg/L 30 min | EC50 24 h: > 10000 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna) |
| Ethanol 64-17-5 | | LC50 96 h: 12.0 - 16.0 mL/L static (Oncorhynchus mykiss) LC50 96 h: > 100 mg/L static (Pimephales promelas) LC50 96 h: 13400 - 15100 mg/L flow-through (Pimephales promelas) | EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min | LC50 48 h: 9268 - 14221 mg/L (Daphnia magna) EC50 24 h: = 10800 mg/L (Daphnia magna) EC50 48 h: = 2 mg/L Static (Daphnia magna) |
| | | | | |

Persistence and Degradability No information available.

Bioaccumulation No information available.

| Chemical Name | Log Pow |
|---------------|---------|
| Ethanol | -0.32 |

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|----|
| Acute Health Hazard | No |
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals: Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

| Chemical Name | CAS-No | California Prop. 65 |
|---------------|---------|---------------------|
| Ethanol | 64-17-5 | Developmental |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Illinois | Rhode Island |
|---------------|------------|---------------|--------------|----------|--------------|
| Ethanol | X | X | X | | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

| | | | | | | | |
|-------------|---------------|---|--------------|---|-----------------|---|--|
| <u>NFPA</u> | Health Hazard | 1 | Flammability | 1 | Instability | 0 | Physical and Chemical Hazards - Personal Protection X |
| <u>HMIS</u> | Health Hazard | 0 | Flammability | 1 | Physical Hazard | 0 | |

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 20-Mar-2014
Revision Date 20-Mar-2014
Revision Note Initial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet